

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims**

1. (Currently Amended) A method for producing a ~~potentiated~~ potentised homeopathic pharmaceutical product comprising contacting said pharmaceutical product with a ~~potentiating~~ potentising agent, said ~~potentiating~~ potentising agent containing ~~at least one of a member selected from the group consisting of~~ bound amino acids, ~~and~~ free amino acids, ~~and mixtures thereof,~~ the content of said bound amino acids, when present, being more than 400 nmoles/L, and the content of said free amino acids, when present, being more than 200 nmoles/L.

2. (Currently Amended) The method of claim 1, wherein a ~~potentiating~~ potentising agent containing more than 800 nmoles/L of bound amino acids and/or more than 400 nmoles/L of free amino acids is used.

Claim 3 - cancelled

4. (Currently Amended) The method of claims 1 or 2, wherein the bound and/or free amino acids are ~~added to~~ present in the potentiating ~~potentising medium agent~~ as accompanying materials additives.

5. (Original) The method of claim 4, wherein the ~~accompanying~~ materials additives are obtained from fruit.

6. (Previously Presented) The method of claim 1 or 2, wherein the bound and/or amino acids are produced by adding natural, distilled fruit alcohol.

7. (Currently Amended) The method of claim 1 or 2, wherein a fruit alcohol with a high content of amino acids is used as the ~~potentiating~~ potentising agent.

8. (Currently Amended) ~~The method of claim 7, A method for~~ producing a potentiated pharmaceutical product comprising contacting said pharmaceutical product with a potentising agent, said potentising agent containing bound amino acids and/or free amino acids, the content of said bound amino acids, when present, being more than 400 nmoles/L, and the content of said free amino acids, when present, being more than 200 nmoles/L, wherein a fruit alcohol with a high content of amino acids is used as the potentising agent, and wherein said fruit alcohol is an alcohol from blackthorn is used as the ~~potentiating agent.~~

9. (Currently Amended) The method of claim 1 or 2, wherein the free and/or bound amino acids are added by contact of the ~~potentiating~~ potentisating agent with natural air.

10. (Currently Amended) The method of claim 1 or 2, wherein water is used as the ~~potentiating~~ potentisating agent.

11. (Currently Amended) The method of claim 1 or 2, wherein lactose is used as the ~~potentiating~~ potentisating agent.

12. (New) The method of claim 8, wherein said potentisating agent contains more than 800 nmoles/L of bound amino acids and/or more than 400 nmoles/L of free amino acids.